


GENUINE PARTS

UNIVERSAL OPERATION MANUAL

MAXIMUM

DESCRIPTION: BIKE RACK OPERATION

APPLICATION: ALL MODELS




PRE-INSTALLATION WARNINGS, CAUTIONS, CRITICAL STEPS, and NOTES:

• Dealer Installation Required. Instructions may refer to Service Manual.


A WARNING

- BIKE RACK TRAYS ARE RATED TO 100 LBS TOTAL DO NOT OVERLOAD
- DO NOT STEP, STAND, OR SIT ON TRAYS AT ANY TIME

OPERATING PROCEDURE:




1) START WITH A FULLY CLOSED AND SECURED BIKE RACK ON THE BACK OF YOUR VAN.




2) UNHOOK THE BLACK CLASPS THAT HOLD THE TRAY IN THE CLOSED POSITION.

A CAUTION

• THE TRAY WILL BE FREE TO SWING DOWN SO EXERCISE CAUTION WHEN RELEASING TRAYS




3) LOOSEN KNOBS AND MOVE FRAME SUPPORT ARMS CLEAR OF THE TRAY.




4) FLIP MAIN TRAY DOWN UNTIL THE PLASTIC SUPPORT CLAMPS "SNAP" INTO PLACE HOLDING THE TRAY IN PLACE.


OPERATING PROCEDURE: (continued)



5) LOOSEN KNOBS ON BOTTOM OF TRAYS TO RELEASE THE EXTENSION SECTION.




6) MOVE EXTENSIONS OUT TO FULL LENGTH.



7) THE BIKE RACK IS DESIGNED TO HOLD A MAXIMUM OF 100LBS AND SHOULD BE LOADED AS MUCH AS POSSIBLE LIKE FIG. 7.


A CAUTION

• OVERLOADING OF THE BIKE RACK CAN RESULT IN DAMAGE TO RACK AND/OR VAN DOOR.




8) SET BIKE IN TRAY CLOSEST TO VAN DOOR FIRST. SWING DOWN THE SHORT ARM TO CAPTURE THE FRAME OF THE BIKE AND ATTACH STRAP AROUND THE FRAME TUBE. IF NEEDED, REMOVE KNOB AND BOLT TO ADJUST PLASTIC HOLDER TO FIT BIKE VERTICALLY.


OPERATING PROCEDURE: (continued)




8) SET BIKE IN TRAY ON OUTSIDE OF RACK. SWING DOWN THE LONG ARM TO CAPTURE THE FRAME OF THE BIKE AND ATTACH STRAP AROUND THE FRAME TUBE. IF NEEDED, REMOVE KNOB AND BOLT TO ADJUST PLATIC HOLDER TO FIT BIKE VERTICALLY.



9) WRAP RATCHETING STRAPS AROUND WHEEL AND TIGHTEN INTO STRAP CATCH ON CHOCK TO SECURE BIKES.



10) HAND TIGHTEN KNOBS ON BOTTOM OF TRAYS TO SECURE RACK.





A CAUTION

 DO NOT CARRY ANYTHING OTHER THAN BIKES ON RACK REGARDLESS OF WEIGHT. FAILURE WILL CAUSE DAMAGE TO RACK OR VAN DOOR.