

Construction Layers

MULTI-LAYERED LAMINATED ROOF SYSTEM


- 1. Crowned Exterior Fiberglass Roof (Flat Interior Ceiling)
- 2. 1/4" Decking
- **3.** Block Foam Insulation
- 4. A/C Ducts
- 5. Tubular Aluminum Framing
- 6. Interior Hard Pan Vinyl

VACUUM-BOND LAMINATED SIDEWALLS

- 7. Decorative Interior Wall Board
- 8. Tubular Aluminum Framing
- **9.** EGS Metal Backers Increase Support for Interior Cabinetry
- **10.** Block Foam Insulation
- **11.** Openings Framed in Aluminum
- **12.** Gelcoat Fiberglass Exterior

VACUUM-BOND LAMINATED FLOOR SYSTEM

- 13. Darco Barrier
- **14.** Block Foam Insulation
- **15.** Floor Decking
- **16.** Linoleum Flooring Throughout Entire Coach
- **17.** 1" Aluminum Framing





A great staycation within the Georgetown series. The GT3 shows off its classy fit and finish with the features Georgetown is recognized for and the floor plans that will suit a small or larger family at a valued price point.



GT3 Technical Specifications

	CHASSIS	ENGINE	HORSE POWER	TORQUE LB/FT	WHEEL BASE	FUEL TANK	GVWR	GCWR	GAWR FRONT	GAWR REAR	FRESH WATER	GRAY WATER	BLACK WATER	LENGTH	EXT. WIDTH	EXT. HEIGHT	AWNING LENGTH
32A3	Ford F53	7.3L V8	350	468	228"	80 gal	22,000 lbs	26,000 lbs	8,000 lbs	15,000 lbs	52 gal	42 gal	42 gal	34' 7"	100"	12' 9"	17'
33B3	Ford F53	7.3L V8	350	468	228"	80 gal	22,000 lbs	26,000 lbs	8,000 lbs	15,000 lbs	52 gal	42 gal	42 gal	34' 6"	100"	12' 9"	12'
NOTE: Technical Specification definitions on page 4.																	

GT3 Key Features

12

- Atwood A/C's
- 360 Plus Winegard WIFI
- 115 Watt Merlin Solar Panel
- P2K Bunk System
- Arctic Package
- 5500 Watt NPS Yamaha Generator
- Hydraulic Jacks
- Sony In-Dash Touchscreen Radio
- Computer Workstation
- Morryde 1.5 Tubular Steel Chassis Up-Fit
- Heat Pump

GT3 Popular Options

• Power Theater Seats

GT5

The sharp, sporty look of this coach will have heads turning. With more standard features in its class, the GT5 offers six exterior options and two interior decors for a truly unique look that will give your friends and family something to talk about.

GT5 Key Features

- Atwood A/C's
- 360 Plus Winegard WIFI
- 115 Watt Merlin Solar Panel
- P2K Bunk System
- Arctic Package
- 5500 Watt NPS Yamaha Generator
- Hydraulic Jacks
- Sony In-Dash Touchscreen Radio
- Computer Workstation
- Morryde 1.5 Tubular Steel Chassis Up-Fit
- Dream Dinette
- Precision Circuits Control System
- Power Theater Seating w/Heat & Massage (Optional in 36B)
- Heat Pump
- Auto Generator Start
- One Piece Fiberglass Shower

GT5 Popular Options

- Full Body Paints
- Washer/Dryer Combo
- 7.0 KW Onan Generator
- Dual Pane Windows









GT5 Technical Specifications

	CHASSIS	ENGINE	HORSE POWER	TORQUE LB/FT	WHEEL BASE	FUEL TANK	GVWR	GCWR	GAWR FRONT	GAWR REAR	FRESH WATER	GRAY WATER	BLACK WATER	LENGTH	EXT. WIDTH	EXT. HEIGHT	AWNING LENGTH
31L5	Ford F53	7.3L V8	350	468	228"	80 gal	22,000 lbs	26,000 lbs	8,000 lbs	15,000 lbs	82 gal	42 gal	42 gal	34' 11"	100"	12' 9"	19'
34H5	Ford F53	7.3L V8	350	468	242"	80 gal	22,000 lbs	26,000 lbs	8,000 lbs	15,000 lbs	82 gal	52 gal	52 gal	37' 10"	100"	12' 9"	17' & 12'
34M5	Ford F53	7.3L V8	350	468	242"	80 gal	22,000 lbs	26,000 lbs	8,000 lbs	15,000 lbs	82 gal	52 gal	52 gal	37' 11"	100"	12' 9"	18'
36B5	Ford F53	7.3L V8	350	468	242"	80 gal	22,000 lbs	26,000 lbs	8,000 lbs	15,000 lbs	82 gal	84 gal	84 gal	37' 11"	100"	12' 9"	12' 6"
NOTE:	: Technical S	pecificatio	on definiti	ons on pa	ae 4.												



While exploring new destinations, you will experience the true richness of the GT7. From the high-end hand crafted true wood cabinetry that shows a glamorous fit and finish, to the three eye-catching full body paints. GT7, where luxury is not an option!





GT7 Key Features

• Atwood A/C's

- 360 Plus Winegard WIFI
- 115 Watt Merlin Solar Panel
- P2K Bunk System
- Arctic Package
- Hydraulic Jacks
- Sony In-Dash Touchscreen Radio
- Computer Workstation
- Morryde 1.5 Tubular Steel Chassis Up-Fit
- Dream Dinette
- Precision Circuits Control System

• Power Theater Seating

- Residential Stainless Steel Appliance Package
- Designer Cabinetry
- Tilt-A-Bed
- 2,000 Magnum Inverter/Converter
- 7.0 KW Onan Generator
- Four House Batteries
- Solid Surface Countertops


GT7 Popular Options

- Full Body Paints
- Stackable Washer/Dryer
- Rear Mud Flap
- 18 CU FT Norcold Refrigerator
- Dual Pane Windows




GT7 Technical Specifications

	CHASSIS	ENGINE	HORSE POWER	TORQUE LB/FT	WHEEL BASE	FUEL TANK	GVWR	GCWR	GAWR FRONT	GAWR REAR	FRESH WATER	GRAY WATER	BLACK WATER	LENGTH	EXT. WIDTH	EXT. HEIGHT	AWNING LENGTH
32J7	Ford F53	7.3L V8	350	468	228"	80 gal	22,000 lbs	26,000 lbs	8,000 lbs	15,000 lbs	72 gal	52 gal	52 gal	35' 0"	102"	12' 11"	19'
36D7	Ford F53	7.3L V8	350	468	252"	80 gal	24,000 lbs	30,000 lbs	9,000 lbs	15,500 lbs	85 gal	52 gal	52 gal	37' 11"	100"	12' 11"	20'
36K7	Ford F53	7.3L V8	350	468	252"	80 gal	24,000 lbs	30,000 lbs	9,000 lbs	15,500 lbs	85 gal	52 gal	52 gal	40' 1"	100"	12' 11"	18'
NOTE:	Technical S	pecificatio	on definiti	ons on pa	ge 4.												











SPECIFICATION DEFINITIONS

GVWR (Gross Vehicle Weight Rating) is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, occupants, cargo, optional equipment and accessories. For safety and product performance do NOT exceed the GWWR.

GCWR (Gross Combined Weight Rating) is the maximum permissible loaded weight of your motor home and any towed trailer or towed vehicle. Actual GCWR of this vehicle may be limited by the sum of the GVWR and the installed hitch receiver maximum capacity rating; see hitch rating label for detail

GAWR (Gross Axle Weight Rating) is the maximum permissible weight, including cargo, fluids, optional equipment and accessories that can be safely supported by each axle.

UVW (Unloaded Vehicle Weight)* is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s), including full fuel, all fluids and LP Gas. The UVW does not include cargo, fresh

*Estimated Average based on standard build optional equipment.


CCC (Cargo Carrying Capacity)** is the amount of weight available for fresh potable water, cargo, passengers, additional optional equipment and accessories. CCC is equal to GWVR minus UWV. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty the black and gray tanks to provide for more cargo capacity.

Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities.

cannot necessarily use all available space when loading your unit.

Actual towing capacity is dependent upon your particular loading and towing circumstances, which includes the GVWR, GAWR and GCWR as well as adequate trailer brakes. Please refer to the Operator's Manual of your vehicle for further towing information.

GEORGETOV





MOBILE MECHANIC TECHNICAL SUPPORT DEALER LOCATOR SERVICES FERIDERV

***VALID FOR 1 YEAR FROM DATE OF PURCHASE**



All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase decision. 05/21

©2021 Georgetown

a Division of Forest River, Inc., a Berkshire Hathaway company, All Rights Reserved.



CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com



Forest River, Inc. Georgetown Division 902 County Road 1 Elkhart, IN 46515

For more information, call (574) 367.3300.

To see more photos and the latest model standards and options, visit www.forestriverinc.com/georgetown