



## TRUE HALF-TON TOWABLES







2" RECEIVER

3,000 LB. TOW RATING

(HT ONLY)



**TURNING POINT** 

**PIN BOX** 

(HT ONLY)









WIFI PREP



7,768

UVW

7,533

1,385

HITCH

1,170

000

WASHER/DRYER **PREP** (FLOORPLAN SPECIFIC)



CCC LENGTH HEIGHT

U-SHAPE DINETTE

HITCH CCC LENGTH HEIGHT



**MASSIVE LIGHTED PASS-THROUGH** STORAGE



**27RB** 

TANK CAPACITY (GAL)

Ö

**25BH** 

TANK CAPACITY (GAL)

MEMBRANE (LIFETIME WARRANTY)



4'X8' SECTIONED UNDERBELLY **ARMOR** 












## **FULL SIZE FIFTH WHEELS**



# **CUTTING-EDGE CREATION**

50+ GAL. OF

**FRESH WATER** 

**WINDOWS** 

LINOLEUM

**THROUGHOUT** 

**ROOF MOUNT** 


SOLAR PREP

**OMNIDIRECTIONAL** 

**ROOFTOP ANTENNA** 

**32" WIDE** 

**ENTRY DOOR** 



#### CLIMATE ONE PACKAGE

- •VACUUM BONDED, WELDED ALUMINUM STRUCTURE
- •BEST IN CLASS SIZE, HIGH EFFICIENCY 35,000 BTU FURNACE
- •13,500 BTU DUCTED A/C SYSTEM W/ 2ND & 3RD A/C PREP
- **•ON DEMAND TANKLESS HOT WATER HEATER**
- **•DUAL ATTIC VENTS FOR BREATHABLE ROOF**
- •ELECTRIC FIREPLACE W/ THERMOSTAT CONTROL AND REMOTE
- •TUFFLEX PVC ROOF MEMBRANE (LIFETIME WARRANTY)
- •4'X8' SECTIONED UNDERBELLY ARMOR
- •50 AMP ELECTRIC
- **•DUAL 20 LB. LP TANKS**
- •SIDEWALLS: 2" HIGH DENSITY BLOCK FOAM
- **INSULATION**
- •ROOF: RESIDENTIAL FIBERGLASS
- **INSULATION**
- •FLOOR: RESIDENTIAL FIBERGLASS
- INSULATION w/ 5/8" TONGUE AND GROOVE

PLYWOOD

#### WILDCAT ONE SERIES PACKAGE

- •17" 2-IN-1 OVEN RANGE
- •.9 CU FT OTR MICROWAVE
- •60 GAL OR MORE FRESH WATER CAPACITY
- •10.7 CU FT 12V REFRIGERATOR
- •HUGE PANTRY (MOST MODELS)
- •HUGE LIFT-UP BOOTH DINETTE STORAGE
- **•STOW & GO CORN HOLE BOARDS**
- KING BED
- •MASSIVE PASS-THRU STORAGE
- •"EASY CLEAN" FLOORS (NO FLOOR VENTS)
- SOLID STEP AT MAIN ENTRY
- •FLUSH FLOOR, LINOLEUM GALLEY SLIDE-OUT
- •32" ENTRY DOOR W/ FRICTION HINGE
- **•BATTERY DISCONNECT SWITCH**
- TINTED WINDOWS
- •"ON THE GO" REAR LADDER PREP





PRE-DELIVERY INSPECTION FACILITY

20,000 square feet of quality assurance. The bare essentials for a premium product. This stateof-the-art facility gives immediate dialy feedback to production for quality assurance in every unit built.

### CUSTOMER SATISFACTION



www.ForestRiverBuyLocal.com

Download our Forest River mobile app or visit our dynamic online manual to enhance your ownership experience. These interactive options provide incredible ease and insight into use, maintenance and enjoyment of your Forest River product.

Ranging from "How-To" videos, pictures and illustrations of various components, systems and features, to fully searchable content and downloadable PDFs for individual component owner's manuals, answers are always just a click away. View the online manual at <a href="https://www.forestriverinc.com/OnlineManual">www.forestriverinc.com/OnlineManual</a> or download our FREE app from the App Store or Good Play!





performance do NOT exceed the GVWR.

GAWR (Gross Axle Weight Rating) - is the maximum permissible weight, including cargo, fluids, optional

equipment and accessories that can be safely supported by a combination of all axles.

GVWR (Gross Vehicle Weight Rating) - is the maximum permissible weight of the unit when fully loaded. It includes all weights, inclusive of all fluids, cargo, optional equipment and accessories. For safety and product

UVW (Unloaded Vehicle Weight) - is the typical weight of the unit as manufactured at the factory. It includes all weight at the unit's axle(s) and tongue or pin and LP Gas. The UVW does not include cargo, fresh potable water, additional optional equipment or dealer installed accessories.

CCC (Cargo Carrying Capacity)\*\* - is the amount of weight available for fresh potable water, cargo, additional optional equipment and accessories. CCC is equal to GVWR minus UVW. Available CCC should accommodate fresh potable water (8.3 lbs per gallon). Before filling the fresh water tank, empty black and gray tanks for more cargo capacity.

\*Estimated Average based on standard build optional equipment. \*\*Estimated average based on standard build optional equipment. Values estimated at time of printing.





Learn More
Scan this barcode using
a QR Reader on your
smart phone to learn
more about Forest River.



Each Forest River RV is weighed at the manufacturing facility prior to shipping. A label identifying the unloaded vehicle weight of the actual unit and the cargo carrying capacity is applied to every Forest River RV prior to leaving our facilities. The load capacity of your unit is designated by weight, not by volume, so you cannot necessarily use all available space when loading your unit.

All information contained in this brochure is believed to be accurate at the time of publication. However, during the model year, it may be necessary to make revisions and Forest River, Inc., reserves the right to make all such changes without notice, including prices, colors, materials, equipment, and specifications as well as the addition of new models and the discontinuance of models shown in this brochure. Therefore, please consult with your Forest River, Inc., dealer and confirm the existence of any materials, design or specifications that are material to your purchase edition.