





A Berkshire Hathaway Company


BUILT AND BACKED BY FOREST RIVER

Founded in 1996 by Pete Liegl, Forest River, Inc. has evolved into North America's largest manufacturer of recreational vehicles, cargo trailers, pontoon boats, and commercial vehicles including buses, vans, and trucks. Its portfolio includes market share leaders in every category, and it is the country's leading manufacturer of buses and vans for both the private and public sectors. Based in Elkhart, Indiana, Forest River employs 14,000+ employees in 100+ facilities in more than a half dozen states. With a commitment to excellence and a focus on customer satisfaction, Forest River is proud to be a Berkshire Hathaway company.

NEVER STOP GOING.

FORESTRIVERING.COM















KEY FEATURES

- Enclosed Underbelly with forced heat
- On demand Tankless Water Heater
- Outside Kitchen
- 200W Solar 2000W Inverter prepped
- Central Vacuum System

- Large Refrigerator
- 2-Volt heating pads on all tanks
- Ultimate bedroom storage
- 12-Volt TV's

10RK


XLT PACKAGE

GVWR: 3,594 lb UVW: 2,094 lb HITCH: 275 lb CCC: 1,500 lb

LENGTH: 15' 0"

BEAST MODE

GVWR: 3,770 lb UVW: 2,204 lb HITCH: 270 lb CCC: 1,566 lb LENGTH: 15' 0"



16MBJ

XLT PACKAGE

GVWR: 5,585 lb UVW: 4,088 lb HITCH: 485 lb CCC: 1,497 lb LENGTH: 21' 8"

BEAST MODE

GVWR: 5,375 lb UVW: 4,323 lb HITCH: 505 lb CCC: 1,052 lb LENGTH: 21' 8

ENCLOSED UNDERBELLY W/ FORCED HEAT ENCLOSED UNDERBELLY W/ FORCED HEAT SATING OPTION CENTRAL GO X 80 QUEEN BED OUTSIDE KITCHEN SAMUATCH CARMO DOISS W/ PASS-TRIBLE LIGHTING


16MKD

XLT PACKAGE

GVWR: 5,523 lb UVW: 4,023 lb HITCH: 570 lb CCC: 1,500 lb LENGTH: 21' 8""

BEAST MODE

GVWR: 5,480 lb UVW: 4,213 lb HITCH: 610 lb CCC: 1,267 lb LENGTH: 21' 8"




16MKS

XLT PACKAGE

GVWR: 4,925 lb UVW: 4,013 lb HITCH: 525 lb CCC: 912 lb LENGTH: 20' 6"

BEAST MODE

GVWR: 5,380 lb UVW: 4,278 lb HITCH: 510 lb CCC: 1,102 lb LENGTH: 20' 6"



16MRJ

XLT PACKAGE

GVWR: 5,580 lb **UVW:** 3,778 lb **HITCH:** 480 lb

CCC: 1,802 lb LENGTH: 19' 10" **BEAST MODE**

GVWR: 5,395 lb UVW: 3,983 lb HITCH: 525 lb CCC: 1,412 lb LENGTH: 19' 10"

AWNING

OUTSIDE KITCHEN

SLAM LATCH CARGO DOORS W/ PASS-THRU LIGHTING

16RKB

XLT PACKAGE

GVWR: 4,524 lb UVW: 3,024lb HITCH: 335 lb CCC: 1,500 lb LENGTH: 14' 11" **BEAST MODE**

GVWR: 4,768 lb UVW: 3,268 lb HITCH: 415 lb CCC: 1,500 lb LENGTH: 14' 11"



ENCLOSED UNDERBELLY W/ FORCED HEAT

19BRK

XLT PACKAGE

GVWR: TBD lb UVW: TBD lb HITCH: TBD lb CCC: TBD lb

LENGTH: 25' 0"

BEAST MODE

GVWR: 6,788 lb UVW: 5,288 lb HITCH: 660 lb CCC: 1,500 lb LENGTH: 25' 0"




19MBH

XLT PACKAGE

GVWR: 5,984 lb UVW: 4,484 lb HITCH: 585 lb CCC: 1,500 lb LENGTH: 24' 8" **BEAST MODE**

GVWR: 6,414 lb UVW: 4,914 lb HITCH: 680 lb CCC: 1,500 lb LENGTH: 24' 8



19MSB

XLT PACKAGE

GVWR: 6,084 lb UVW: 4,809 lb HITCH: 710 lb CCC: 1,275 lb

LENGTH: 24' 8"

BEAST MODE

GVWR: 6,524 lb UVW: 5,024 lb HITCH: 640 lb CCC: 1,500 lb LENGTH: 24' 8"

ENCLOSED UNDERBELLY W/FORCED HEAT SOFA WARD W

19QRB

XLT PACKAGE

GVWR: 4,915 lb UVW: 4,168 lb HITCH: 515 lb CCC: 747 lb LENGTH: 24' 2"

BEAST MODE

GVWR: 5,385 lb UVW: 4,483 lb HITCH: 535 lb CCC: 902 lb LENGTH: 24' 2"



20FKDS

XLT PACKAGE

GVWR: 7,178 lb UVW: 5,678 lb HITCH: 800 lb CCC: 1,500 lb LENGTH: 27' 7"

BEAST MODE

GVWR: 7,178 lb UVW: 6,148 lb HITCH: 890 lb CCC: 1,030 lb LENGTH: 27' 7"



20MDS

XLT PACKAGE

GVWR: 6,463 lb UVW: 4,963 lb HITCH: 630 lb CCC: 1,500 lb LENGTH: 24' 3"

BEAST MODE

GVWR: 6,923 lb UVW: 5,423 lb HITCH: 670 lb CCC: 1,500 lb LENGTH: 24' 3"



20MKB

XLT PACKAGE

GVWR: TBD lb
UVW: TBD lb

HITCH: TBD lb

LENGTH: 25' 0"


BEAST MODE

GVWR: 6,858 lb

UVW: 5,358 lb **HITCH:** 585 lb

CCC: 1,500 lb

LENGTH: 25' 0"



20MRK

XLT PACKAGE

GVWR: 6,613 lb

UVW: 5,113 lb

HITCH: 735 lb

CCC: 1,500 lb

BEAST MODE

GVWR: 7,108 lb

UVW: 5,608 lb

HITCH: 825 lb

CCC: 1,500 lb

LENGTH: 24' 3"



23MBH

XLT PACKAGE

GVWR: 6,600 lb

UVW: 5,108 lb

HITCH: 750 lb

CCC: 1,492 lb LENGTH: 26' 2" **BEAST MODE**

GVWR: 7,140 lb

UVW: 5,648 lb

HITCH: 740 lb

CCC: 1,492 lb

LENGTH: 26' 2"



25RBH

XLT PACKAGE

GVWR: 7,838 lb UVW: 6,338 lb HITCH: 1,030 lb CCC: 1,500 lb

LENGTH: 32' 11"

BEAST MODE

GVWR: 7,875 lb UVW: 6,708 lb HITCH: 875 lb CCC: 1,167 lb

LENGTH: 32' 11"




25RLSS

XLT PACKAGE

GVWR: 7,243 lb UVW: 5,743 lb HITCH: 850 lb CCC: 1,500 lb LENGTH: 29' 0"

BEAST MODE

GVWR: 7,703 lb UVW: 6,203 lb HITCH: 910 lb CCC: 1,500 lb LENGTH: 29' 0"



26BRE

XLT PACKAGE

GVWR: TBD lb UVW: TBD lb HITCH: TBD lb CCC: TBD lb

LENGTH: 32' 6"

BEAST MODE

UVW: 6,838 lb HITCH: 570 lb CCC: 732 lb

GVWR: 7,570 lb

LENGTH: 32' 6"









TRAIL26


XLT PACKAGE


GVWR: TBD lb UVW: TBD lb HITCH: TBD lb CCC: TBD lb LENGTH: TBD

TRAIL28

XLT PACKAGE

GVWR: TBD Ib UVW: TBD Ib HITCH: TBD Ib CCC: TBD Ib LENGTH: TBD






TRAIL31

XLT PACKAGE

GVWR: TBD Ib
UVW: TBD Ib
HITCH: TBD Ib
CCC: TBD Ib
LENGTH: TBD



IBEX SPECIFICATIONS

XLT SPECIFICATIONS

Floorplan	Length	Height	Width	Hitch Weight	GVWR	UVW	ccc	Fresh Water	Grey Water	Black Water
10RK	15' O"	8' 6"	88"	275 lb	3,594 lb	2,094 lb	1,500 lb	30 gal	0 gal	0 gal
16MBJ	21' 8"	10' 10"	96"	485 lb	5,585 lb.	4,088 lb	1,497 lb	30 gal	30 gal	30 gal
16MKD	21' 8"	10' 10"	96"	570 lb	5,523 lb.	4,023 lb	1,500 lb	30 gal	30 gal	30 gal
16MKS	20' 6"	11' 3"	96"	525 lb	4,925 lb	4,013 lb	912 lb	40 gal	40 gal	30 gal
16MRJ	19' 10"	10' 10"	96"	480 lb	5,580 lb	3,778 lb	1,802 lb	30 gal	30 gal	30 gal
16RKB	14' 11"	10' 10"	96"	335 lb	4,524 lb	3,024 lb	1,500 lb	30 gal	30 gal	30 gal
19BRK	25' 0"	10' 11"	88"	TBD lb	TBD lb	TBD lb	TBD lb	30 gal	30 gal	30 gal
19MBH	24' 8"	10' 9"	88"	585 lb	5,984 lb	4,484 lb	1,500 lb	30 gal	30 gal	30 gal
19MSB	24' 8"	10' 9"	88"	710 lb	6,084 lb	4,809 lb	1,275 lb	30 gal	30 gal	30 gal
19QRB	24' 2"	10' 10"	88"	515 lb	4,915 lb	4,168 lb	747 lb	30 gal	30 gal	30 gal
20FKDS	27' 7"	11' 3"	96"	800 lb	7,178 lb	5,678 lb	1,500 lb	40 gal	60 gal	30 gal
20MDS	24' 3"	11′ 3″	96"	630 lb	6,463 lb	4,963 lb	1,500 lb	40 gal	40 gal	30 gal
20MKB	25' 0"	11' 6"	96"	TBD lb	TBD lb	TBD lb	TBD lb	40 gal	40 gal	30 gal
20MRK	24' 3"	11' 3"	96"	735 lb	6,613 lb	5,113 lb	1,500 lb	40 gal	40 gal	30 gal
23MBH	26' 2"	11′ 3″	96"	750 lb	6,600 lb	5,108 lb	1,492 lb	40 gal	40 gal	30 gal
25RBH	32' 11"	11' 3"	96"	1,030 lb	7,838 lb	6,338 lb	1,500 lb	40 gal	30 gal	30 gal
25RLSS	29' 0"	11' 3"	96"	850 lb	7,243 lb	5,743 lb	1,500 lb	40 gal	40 gal	30 gal
26BRE	32' 6"	11' 4"	96"	TBD lb	TBD lb	TBD lb	TBD lb	40 gal	60 gal	30 gal
TRAIL26	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
TRAIL28	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD
TRAIL31	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD	TBD

BEAST MODE SPECIFICATIONS

					1					
Floorplan	Length	Height	Width	Hitch Weight	GVWR	uvw	ссс	Fresh Water	Grey Water	Black Water
10RK	15' O"	8' 6"	88"	275 lb	3,594 lb	2,094 lb	1,500 lb	30 gal	0 gal	0 gal
16MBJ	21' 8"	10' 10"	96"	505 lb	5,375 lb.	4,323 lb	1,0527 lb	30 gal	30 gal	30 gal
16MKD	21' 8"	10' 10"	96"	610 lb	5,480 lb.	4,213 lb	1,267 lb	30 gal	30 gal	30 gal
16MKS	20' 6"	11' 3"	96"	510 lb	5,380 lb	4,278 lb	1,102 lb	40 gal	40 gal	30 gal
16MRJ	19' 10"	10' 10"	96"	525 lb	5,395 lb	3,983 lb	1,412 lb	30 gal	30 gal	30 gal
16RKB	14' 11"	10' 10"	96"	415 lb	4,768 lb	3,268 lb	1,500 lb	30 gal	30 gal	30 gal
19BRK	25' 0"	10' 11"	88"	660 lb	6,788 lb	5,288 lb	1,500 lb	30 gal	30 gal	30 gal
19МВН	24' 8"	10' 9"	88"	680 lb	6,414 lb	4,914 lb	1,500 lb	30 gal	30 gal	30 gal
19MSB	24' 8"	10' 9"	88"	640 lb	6,524 lb	5,024 lb	1,500 lb	30 gal	30 gal	30 gal
19QRB	24' 2"	10' 10"	88"	535 lb	5,385 lb	4,483 lb	902 lb	30 gal	30 gal	30 gal
20FKDS	27' 7"	11' 3"	96"	890 lb	7,178 lb	6,148 lb	1,030 lb	40 gal	40 gal	30 gal
20MDS	24' 3"	11' 3"	96"	630 lb	6,463 lb	4,963 lb	1,500 lb	40 gal	40 gal	30 gal
20МКВ	25' 0"	11' 6"	96"	585 lb	6,858 lb	5,358 lb	1,500 lb	40 gal	40 gal	30 gal
20MRK	24' 3"	11' 3"	96"	735 lb	6,613 lb	5,113 lb	1,500 lb	40 gal	40 gal	30 gal
23MBH	26' 2"	11' 3"	96"	740 lb	7,140 lb	5,648 lb	1,492 lb	40 gal	40 gal	30 gal
25RBH	32' 11"	11′ 3″	96"	1,030 lb	7,838 lb	6,338 lb	1,500 lb	40 gal	30 gal	30 gal
25RLSS	29' 0"	11' 3"	96"	850 lb	7,243 lb	5,743 lb	1,500 lb	40 gal	40 gal	30 gal
26BRE	32' 6"	11' 4"	96"	570 lb	7,570 lb	6,838 lb	732 lb	40 gal	60 gal	30 gal

STANDARDS & OPTIONS

STANDARD FEATURES

- · Platform entry steps with night light
- Enclosed underbelly with forced heat & radiant foil insulation
- · 12V heating pads on all tanks
- 60" x 80" Queen Bed
- Large refrigerators
- · Premium window treatments
- · All terrain tires with TPMS
- · Air fryer microwave
- · USB-C ports inside and out
- · Convenient motion lighting
- · 4 speed high powered bath fan
- · Hot & cold exterior spray port
- · Large kitchen sink with cup washer
- · Slam latch cargo doors
- · Large holding tanks
- · On demand tankless water heater
- 5,000 BTU A/C
- 200 Watt solar panel / 30 AMP solar controller & inverter prep
- · Central vacuum system
- Rear accessory hitch (N/A on 19 Series & 16RKB)
- · Upgraded shower enclosure
- Ultimate bedroom storage
- 12 Volt TVs
- Welded aluminum structure
- Laminated walls and slide-outs with AZDEL composite panels
- · Fully walkable PVC roof
- · Extended season ready

OPTIONS

- Black Canyon Beast Mode Package
- Beast Mode Independent Suspension
- 400 Watt Solar Package with 2000W inverter
- · Fresh water filter
- · Maxxair Roof Vent Cover

SCAN FOR ADDITIONAL INFO, PHOTOS, AND MORE!



EACH NEW FOREST RIVER PURCHASE PROVIDES:

- Pre-delivery Inspection.
- Digital Owner's Manual.
- Free Membership to Forest River Owners Group (FROG). Learn more at <u>www.forestriverfrog.com</u>.
- A Contribution to Care Camps Foundation <u>www.carecamps.org</u>.
- 1 Year Free Roadside Assistance from Date of Purchase.



LEARN MORE:

Scan this QR code with your mobile device to learn more about Forest River.





SPECIFICATION DEFINITIONS:

Scan this barcode using a QR reader on your smartphone to learn RV terminology and more!

